Knobbe Martens Olson & Bear LLP

Intellectual Property Law

2040 Main Street Fourteenth Floor Irvine, CA 92614 Tel 949-760-0404 Fax 949-760-9502 www.kmob.com

Andrew N. Merickel, Ph.D. 415-217-8396 americkel@kmob.com

April 25, 2007

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Re: Title: OXYGEN BRIDGE STRUCTURES AND METHODS TO FORM

OXYGEN BRIDGE STRUCTURES Letters Patent No. 7.034,397

Issued: April 25, 2006

Our Reference: ASMMC.045AUS

Dear Sir:

Enclosed for filing is a Certificate of Correction in connection with the above-identified patent.

As the errors cited in the Certificate of Correction were incurred through the fault of the Patent Office, no fee is believed to be required. However, please charge our Deposit Account No. 11-1410 for any fees that may be incurred with this request.

Respectfully submitted,

Knobbe, Martens, Olson & Bear, LLP

Andrew N. Merickel Registration No. 53,317

Customer No. 20,995

Enclosures

3594988 032907

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 7.034.397

Page 1 of 1

APPLICATION NO. : 10/696.244

ISSUE DATE

: April 25, 2006

INVENTOR(S)

: Ivo Raaijmakers, Pekka J. Soininen, Kai-Erik Elers

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Col. 12, line 28 (approx.), Claim 1, after "comprising", please insert -- , --.

In Col. 12, line 29 (approx.), Claim 1, please delete "subs" and insert -- substrate-- therefor.

In Col. 12, line 29 (approx.), Claim 1, after "comprising", please insert --a--.

In Col. 12, line 42 (approx.), Claim 1, please delete "film; and insert --film; and--, therefor.

In Col. 12, line 53 (approx.), Claim 2, please delete "AID" and insert -- ALD--, therefor.

In Col. 13, line 21, Claim 8, please delete "Least" and insert --least--, therefor.

3575646 041907

MAILING ADDRESS OF SENDER:

Andrew N. Merickel KNOBBE, MARTENS, OLSON & BEAR, LLP 2040 Main Street, 14th Floor Irvine, California 92614

DOCKET NO ASMMC 045AUS